

CHEMICAL	Recommended for Constant Contact		Recommended for Secondary Contact		CHEMICAL WEIGHT GAIN PERCENTAGES		
	24 Hours	7 Days	30 Days	60 Days	6 Months	1 Year	> 1 Year
Acetic 10%	0.0002%	0.03%	0.13%	0.11%			
Acetic 40%	0.38%	1.90%			7.32% (10 months)		
Acetic 50%					9.75% (11 months)		
Diesel	0.00%	0.00%	0.00%	0.01%			0.1% (3 years)
Ethanol					8.73% (3 months)		
Gasoline (unleaded)	0.07%	0.50%	1.40%	2.30%	5.16%		4.75% (17 months)
H2SO4 50% Sulfuric Acid	0.00%	0.00%				6.15%	
H3PO4 50% Phosphoric Acid	0.00%	0.001%	0.02%				
Sulfuric Acid 14% Phosphoric Acid 30%						2.36%	-0.86% (2 years)
HCl 24% Hydrochloric Acid	0.00%	0.01%	0.02%				
Jet Fuel JP - 1,2,3	0.00%	0.00%	0.00%	0.01%			1.4% (5 years)
JP-7 Jet Fuel with 60% Toluene	0.61%	2.41%	4.10%	4.93%	8.34%		8.67% (19 months)
NaOH Sodium Hydroxide	0.00%	0.001%		0.70%			2.36% (2 years)
Sodium Hypochlorite 12%					-1.5% (8 months)		
Water	0.00%	0.00%					
Methanol 99%	2.30%	3.41%			12.4%		9.12% (19 months)
Methanol 47% Ethanol 47.5% MIBK 5%	2.48%	4.19%	5.43%		8.13%		
Xylene	1.10%	4.60%		20.0%	21.63%		
Skydrol	0.39%	2.30%	4.93% (25 days)		13.7%	16.5%	